ELSEVIER

Brain Research 806 (1998) 298–299

BRAIN RESEARCH

Author Index

Abdul-Ghani, A.-S., see Attwell, P.J.E. (806) 297
Adams, F.S., see Clarkson, E.D. (806) 60
Adem, A., see Islam, A. (806) 108
Aigner, T.G., see Cohen, R.M. (806) 292
Alreja, M., see Liu, W. (806) 36
Anderson, N.L., see Dumba, J.S. (806) 16
Asaba, K., Makino, S. and Hashimoto, K.
Effect of urocortin on ACTH secretion from rat anterior pituitary in vitro and in vivo: comparison with corticotropin-releasing hormone (806) 95
Ashworth-Preece, M.A., Jarrott, B. and Lawrence, A.J.
Nicotinic acetylcholine receptor mediated modulation of evoked excitatory amino acid release in the nucleus tractus solitarius of the rat: evidence from in vivo microdialysis (806) 287
Aston-Jones, G.S., see Delfs, J.M. (806) 127
Attwell, P.J.E., Koumentaki, A., Abdul-Ghani, A.-S., Croucher, M.J. and Bradford, H.F.
Erratum to "Specific group II metabotropic glutamate receptor activation inhibits the development of kindled epilepsy in rats" [Brain Research 787 (1998) 286–291] (806) 297
Azuma, Y., see Kuramoto, N. (806) 152

Ballof, J., see Von Hörsten, S. (806) 282
Beaudet, L.N., see Schmidt, R.E. (806) 141
Bell, K.P., see Clarkson, E.D. (806) 60
Billington, C.J., see Kim, E.-M. (806) 117
Bradford, H.F., see Attwell, P.J.E. (806) 297
Broening, H.W., see Fukumura, M. (806) 1
Bruch, L.A., see Schmidt, R.E. (806) 141
Bruner, K.R. and Reynolds, J.N.
Propofol modulation of [^{3}H]flunitrazepam binding to $GABA_A$ receptors in guinea pig cerebral cortex (806) 122

Cairns, N., see Labudova, O. (806) 55
Cappon, G.D., see Fukumura, M. (806) 1
Carson, R.E., see Cohen, R.M. (806) 292
Chen, J., see Luo, C. (806) 175
Chen, J.-T., see Ruan, D.-Y. (806) 196
Chen, Q.S., see Chen, Y.C. (806) 238
Chen, Y.C., Chen, Q.S., Lei, J.L. and Wang, S.L.
Physical training modifies the age-related decrease of GAP-43 and synaptophysin in the hippocampal formation in C57BL/6J mouse (806) 238
Clarkson, E.D., Zawada, W.M., Adams, F.S., Bell, K.P. and Freed, C.R.
Strands of embryonic mesencephalic tissue show greater dopamine neuron survival and better behavioral improvement than cell suspensions after transplantation in parkinsonian rats (806) 60
Cohen, R.M., Carson, R.E., Aigner, T.G. and Doudet, D.J.
Opiate receptor avidity is reduced in non-motor impaired MPTP-lesioned rhesus monkeys (806) 292
Croucher, M.J., see Attwell, P.J.E. (806) 297

Delfs, J.M., Zhu, Y., Druhan, J.P. and Aston-Jones, G.S.
Origin of noradrenergic afferents to the shell subregion of the nucleus accumbens: anterograde and retrograde tract-tracing studies in the rat (806) 127
DeMaria, J.E., Zelena, D., Vecsernyés, M., Nagy, G.M. and Freeman, M.E.
The effect of neurointermediate lobe denervation on hypothalamic neuroendocrine dopaminergic neurons (806) 89
Dorsey, D.A., see Schmidt, R.E. (806) 141
Doudet, D.J., see Cohen, R.M. (806) 292
Druhan, J.P., see Delfs, J.M. (806) 127
Dumba, J.S., Irish, P.S., Anderson, N.L. and Westrum, L.E.
Electron microscopic analysis of γ-aminobutyric acid and glycine colocalization in rat trigeminal subnucleus caudalis (806) 16
Durand, D.M., see Warren, R.J. (806) 186

Ellisman, M.H., see Kusakabe, T. (806) 165
Exton, M.S., see Von Hörsten, S. (806) 282
Exton, N.G., see Von Hörsten, S. (806) 282

Fang-Kircher, S., see Labudova, O. (806) 55
Freed, C.R., see Clarkson, E.D. (806) 60
Freeman, M.E., see DeMaria, J.E. (806) 89
Fujiwara, K., Kaminishi, Y., Inoue, Y. and Yabuuchi, M.
Monoclonal antibody monospecific to glycine for brain immunocytochemistry (806) 210
Fukumura, M., Cappon, G.D., Pu, C., Broening, H.W. and Vorhees, C.V.
A single dose model of methamphetamine-induced neurotoxicity in rats: effects on neostriatal monoamines and glial fibrillary acidic protein (806) 1
Futakuchi, H., see Kasashima, S. (806) 8

Gafni, M., see Shapira, M. (806) 26
Gilmore, S.A. and Kane, C.J.M.
Microglia, but not astrocytes, react to sciatic nerve injury in aging rats (806) 113
Gołembiowska, K. and Żylewska, A.
Agonists of A_1 and A_{2A} adenosine receptors attenuate methamphetamine-induced overflow of dopamine in rat striatum (806) 202
Gono, Y., see Kusakabe, T. (806) 165
Grace, M.K., see Kim, E.-M. (806) 117

Hara, A., Niwa, M., Iwai, T., Nakashima, M., Yano, H., Uematsu, T., Yoshimi, N. and Mori, H.
Transport of fragmented DNA in apical dendrites of gerbil CA1 pyramidal neurons following transient forebrain ischemia (806) 274
Hara, M., see Irie, T. (806) 246
Hashimoto, K., see Asaba, K. (806) 95
Hayashida, Y., see Kusakabe, T. (806) 165
Helfritz, F., see Von Hörsten, S. (806) 282
Hoffmann, O., Plesan, A. and Wiesenfeld-Hallin, Z.
Genetic differences in morphine sensitivity, tolerance and withdrawal in rats (806) 232
Hübschle, T., McKinley, M.J. and Oldfield, B.J.
Efferent connections of the lamina terminalis, the preoptic area and the insular cortex to submandibular and sublingual gland of the rat traced with pseudorabies virus (806) 219

Ichiki, H., Kuroiwa, T., Taniguchi, I. and Okeda, R.
Delayed recovery of auditory cortical evoked potentials is correlated with cortical neuronal death after transient cerebral ischemia in awake gerbils (806) 278
Inagaki, C., see Irie, T. (806) 246
Inoue, K., see Irie, T. (806) 246
Inoue, K., see Kuramoto, N. (806) 152
Inoue, Y., see Fujiwara, K. (806) 210
Irie, T., Hara, M., Yasukura, T., Minamino, M., Omori, K., Matsuda, H., Inoue, K. and Inagaki, C.
Chloride concentration in cultured hippocampal neurons increases during long-term exposure to ammonia through enhanced expression of an anion exchanger (806) 246
Irish, P.S., see Dumba, J.S. (806) 16

ELSEVIER

Brain Research 806 (1998) 298–299

BRAIN RESEARCH

Author Index

Abdul-Ghani, A.-S., see Attwell, P.J.E. (806) 297
Adams, F.S., see Clarkson, E.D. (806) 60
Adem, A., see Islam, A. (806) 108
Aigner, T.G., see Cohen, R.M. (806) 292
Alreja, M., see Liu, W. (806) 36
Anderson, N.L., see Dumba, J.S. (806) 16
Asaba, K., Makino, S. and Hashimoto, K.
Effect of urocortin on ACTH secretion from rat anterior pituitary in vitro and in vivo: comparison with corticotropin-releasing hormone (806) 95
Ashworth-Preece, M.A., Jarrott, B. and Lawrence, A.J.
Nicotinic acetylcholine receptor mediated modulation of evoked excitatory amino acid release in the nucleus tractus solitarius of the rat: evidence from in vivo microdialysis (806) 287
Aston-Jones, G.S., see Delfs, J.M. (806) 127
Attwell, P.J.E., Koumentaki, A., Abdul-Ghani, A.-S., Croucher, M.J. and Bradford, H.F.
Erratum to "Specific group II metabotropic glutamate receptor activation inhibits the development of kindled epilepsy in rats" [Brain Research 787 (1998) 286–291] (806) 297
Azuma, Y., see Kuramoto, N. (806) 152

Ballof, J., see Von Hörsten, S. (806) 282
Beaudet, L.N., see Schmidt, R.E. (806) 141
Bell, K.P., see Clarkson, E.D. (806) 60
Billington, C.J., see Kim, E.-M. (806) 117
Bradford, H.F., see Attwell, P.J.E. (806) 297
Broening, H.W., see Fukumura, M. (806) 1
Bruch, L.A., see Schmidt, R.E. (806) 141
Bruner, K.R. and Reynolds, J.N.
Propofol modulation of [^{3}H]flunitrazepam binding to $GABA_A$ receptors in guinea pig cerebral cortex (806) 122

Cairns, N., see Labudova, O. (806) 55
Cappon, G.D., see Fukumura, M. (806) 1
Carson, R.E., see Cohen, R.M. (806) 292
Chen, J., see Luo, C. (806) 175
Chen, J.-T., see Ruan, D.-Y. (806) 196
Chen, Q.S., see Chen, Y.C. (806) 238
Chen, Y.C., Chen, Q.S., Lei, J.L. and Wang, S.L.
Physical training modifies the age-related decrease of GAP-43 and synaptophysin in the hippocampal formation in C57BL/6J mouse (806) 238
Clarkson, E.D., Zawada, W.M., Adams, F.S., Bell, K.P. and Freed, C.R.
Strands of embryonic mesencephalic tissue show greater dopamine neuron survival and better behavioral improvement than cell suspensions after transplantation in parkinsonian rats (806) 60
Cohen, R.M., Carson, R.E., Aigner, T.G. and Doudet, D.J.
Opiate receptor avidity is reduced in non-motor impaired MPTP-lesioned rhesus monkeys (806) 292
Croucher, M.J., see Attwell, P.J.E. (806) 297

Delfs, J.M., Zhu, Y., Druhan, J.P. and Aston-Jones, G.S.
Origin of noradrenergic afferents to the shell subregion of the nucleus accumbens: anterograde and retrograde tract-tracing studies in the rat (806) 127
DeMaria, J.E., Zelena, D., Vecsernyés, M., Nagy, G.M. and Freeman, M.E.
The effect of neurointermediate lobe denervation on hypothalamic neuroendocrine dopaminergic neurons (806) 89
Dorsey, D.A., see Schmidt, R.E. (806) 141
Doudet, D.J., see Cohen, R.M. (806) 292
Druhan, J.P., see Delfs, J.M. (806) 127
Dumba, J.S., Irish, P.S., Anderson, N.L. and Westrum, L.E.
Electron microscopic analysis of γ-aminobutyric acid and glycine colocalization in rat trigeminal subnucleus caudalis (806) 16
Durand, D.M., see Warren, R.J. (806) 186

Ellisman, M.H., see Kusakabe, T. (806) 165
Exton, M.S., see Von Hörsten, S. (806) 282
Exton, N.G., see Von Hörsten, S. (806) 282

Fang-Kircher, S., see Labudova, O. (806) 55
Freed, C.R., see Clarkson, E.D. (806) 60
Freeman, M.E., see DeMaria, J.E. (806) 89
Fujiwara, K., Kaminishi, Y., Inoue, Y. and Yabuuchi, M.
Monoclonal antibody monospecific to glycine for brain immunocytochemistry (806) 210
Fukumura, M., Cappon, G.D., Pu, C., Broening, H.W. and Vorhees, C.V.
A single dose model of methamphetamine-induced neurotoxicity in rats: effects on neostriatal monoamines and glial fibrillary acidic protein (806) 1
Futakuchi, H., see Kasashima, S. (806) 8

Gafni, M., see Shapira, M. (806) 26
Gilmore, S.A. and Kane, C.J.M.
Microglia, but not astrocytes, react to sciatic nerve injury in aging rats (806) 113
Gołembiowska, K. and Żylewska, A.
Agonists of A_1 and A_{2A} adenosine receptors attenuate methamphetamine-induced overflow of dopamine in rat striatum (806) 202
Gono, Y., see Kusakabe, T. (806) 165
Grace, M.K., see Kim, E.-M. (806) 117

Hara, A., Niwa, M., Iwai, T., Nakashima, M., Yano, H., Uematsu, T., Yoshimi, N. and Mori, H.
Transport of fragmented DNA in apical dendrites of gerbil CA1 pyramidal neurons following transient forebrain ischemia (806) 274
Hara, M., see Irie, T. (806) 246
Hashimoto, K., see Asaba, K. (806) 95
Hayashida, Y., see Kusakabe, T. (806) 165
Helfritz, F., see Von Hörsten, S. (806) 282
Hoffmann, O., Plesan, A. and Wiesenfeld-Hallin, Z.
Genetic differences in morphine sensitivity, tolerance and withdrawal in rats (806) 232
Hübschle, T., McKinley, M.J. and Oldfield, B.J.
Efferent connections of the lamina terminalis, the preoptic area and the insular cortex to submandibular and sublingual gland of the rat traced with pseudorabies virus (806) 219

Ichiki, H., Kuroiwa, T., Taniguchi, I. and Okeda, R.
Delayed recovery of auditory cortical evoked potentials is correlated with cortical neuronal death after transient cerebral ischemia in awake gerbils (806) 278
Inagaki, C., see Irie, T. (806) 246
Inoue, K., see Irie, T. (806) 246
Inoue, K., see Kuramoto, N. (806) 152
Inoue, Y., see Fujiwara, K. (806) 210
Irie, T., Hara, M., Yasukura, T., Minamino, M., Omori, K., Matsuda, H., Inoue, K. and Inagaki, C.
Chloride concentration in cultured hippocampal neurons increases during long-term exposure to ammonia through enhanced expression of an anion exchanger (806) 246
Irish, P.S., see Dumba, J.S. (806) 16

Islam, A., Kalaria, R.N., Winblad, B. and Adem, A.
Enhanced localization of amyloid β precursor protein in the rat hippocampus following long-term adrenalectomy (806) 108
Iwai, T., see Hara, A. (806) 274

Jarrott, B., see Ashworth-Preece, M.A. (806) 287

Kalaria, R.N., see Islam, A. (806) 108
Kaminishi, Y., see Fujiwara, K. (806) 210
Kane, C.J.M., see Gilmore, S.A. (806) 113
Kasashima, S., Muroishi, Y., Futakuchi, H., Nakanishi, I. and Oda, Y.
In situ mRNA hybridization study of the distribution of choline acetyltransferase in the human brain (806) 8
Kataoka, K., see Kuramoto, N. (806) 152
Kawakami, T., see Kusakabe, T. (806) 165
Kennaway, D.J. and Moyer, R.W.
Serotonin 5-HT2c agonists mimic the effect of light pulses on circadian rhythms (806) 257
Kim, E.-M., Welch, C.C., Grace, M.K., Billington, C.J. and Levine, A.S.
Effects of palatability-induced hyperphagia and food restriction on mRNA levels of neuropeptide-Y in the arcuate nucleus (806) 117
Kondo, I. and Yamamoto, M.
Genetic polymorphism of paraoxonase 1 (PON1) and susceptibility to Parkinson's disease (806) 271
Koumentaki, A., see Attwell, P.J.E. (806) 297
Kuramoto, N., Azuma, Y., Inoue, K., Ogita, K., Mitani, A., Zhang, L., Yanase, H., Masuda, S., Kataoka, K. and Yoneda, Y.
Correlation between potentiation of AP1 DNA binding and expression of c-Fos in association with phosphorylation of CREB at serine133 in thalamus of gerbils with ischemia (806) 152
Kuroiwa, T., see Ichiki, H. (806) 278
Kusakabe, T., Hayashida, Y., Matsuda, H., Gono, Y., Powell, F.L., Ellisman, M.H., Kawakami, T. and Takenaka, T.
Hypoxic adaptation of the peptidergic innervation in the rat carotid body (806) 165

Labudova, O., Fang-Kircher, S., Cairns, N., Moenkemann, H., Yeghiazaryan, K. and Lubec, G.
Brain vasopressin levels in Down Syndrome and Alzheimer's Disease (806) 55
Lawrence, A.J., see Ashworth-Preece, M.A. (806) 287
Lei, J.L., see Chen, Y.C. (806) 238
Levine, A.S., see Kim, E.-M. (806) 117
Li, H.-L., see Luo, C. (806) 175
Li, J.-S., see Luo, C. (806) 175
Liu, W. and Alreja, M.
Norepinephrine inhibits neurons of the intermediate subnucleus of the lateral septum via α_2-adrenoceptors (806) 36
Lubec, G., see Labudova, O. (806) 55
Luo, C., Chen, J., Li, H.-L. and Li, J.-S.
Spatial and temporal expression of c-Fos protein in the spinal cord of anesthetized rat induced by subcutaneous bee venom injection (806) 175

Makino, S., see Asaba, K. (806) 95
Masuda, S., see Kuramoto, N. (806) 152
Matsuda, H., see Irie, T. (806) 246
Matsuda, H., see Kusakabe, T. (806) 165
McKinley, M.J., see Hübschle, T. (806) 219
Meredith, M., see Moeller, J.F. (806) 104
Minamino, M., see Irie, T. (806) 246
Mitani, A., see Kuramoto, N. (806) 152
Moeller, J.F. and Meredith, M.
Increase in gonadotropin-releasing hormone (GnRH) levels in CSF after stimulation of the nervus terminalis in Atlantic stingray, *Dasyatis sabina* (806) 104
Moenkemann, H., see Labudova, O. (806) 55
Mori, H., see Hara, A. (806) 274
Moyer, R.W., see Kennaway, D.J. (806) 257
Muroishi, Y., see Kasashima, S. (806) 8

Nagy, G.M., see DeMaria, J.E. (806) 89
Nakahata, N., see Obara, Y. (806) 79
Nakanishi, I., see Kasashima, S. (806) 8
Nakashima, M., see Hara, A. (806) 274
Nave, H., see Von Hörsten, S. (806) 282
Niwa, M., see Hara, A. (806) 274

Obara, Y., Nakahata, N. and Ohizumi, Y.
A new factor derived from 1321N1 human astrocytoma cells causes differentiation of PC-12 cells mediated through mitogen-activated protein kinase cascade (806) 79
Oda, Y., see Kasashima, S. (806) 8
Ogita, K., see Kuramoto, N. (806) 152
Ohizumi, Y., see Obara, Y. (806) 79
Okeda, R., see Ichiki, H. (806) 278
Oldfield, B.J., see Hübschle, T. (806) 219
Omori, K., see Irie, T. (806) 246

Pabst, R., see Von Hörsten, S. (806) 282
Parvin, C.A., see Schmidt, R.E. (806) 141
Plesan, A., see Hoffmann, O. (806) 232
Plurad, S.B., see Schmidt, R.E. (806) 141
Powell, F.L., see Kusakabe, T. (806) 165
Pu, C., see Fukumura, M. (806) 1

Reynolds, J.N., see Bruner, K.R. (806) 122
Ruan, D.-Y., Chen, J.-T., Zhao, C., Xu, Y.-Z., Wang, M. and Zhao, W.-F.
Impairment of long-term potentiation and paired-pulse facilitation in rat hippocampal dentate gyrus following developmental lead exposure in vivo (806) 196

Sabol, K.E. and Seiden, L.S.
Reserpine attenuates D-amphetamine and MDMA-induced transmitter release in vivo: a consideration of dose, core temperature and dopamine synthesis (806) 69
Sarne, Y., see Shapira, M. (806) 26
Schmidt, R.E., Dorsey, D.A., Beaudet, L.N., Plurad, S.B., Parvin, C.A. and Bruch, L.A.
Vacuolar neuritic dystrophy in aged mouse superior cervical sympathetic ganglia is strain-specific (806) 141
Seiden, L.S., see Sabol, K.E. (806) 69
Shapira, M., Gafni, M. and Sarne, Y.
Independence of, and interactions between, cannabinoid and opioid signal transduction pathways in N18TG2 cells (806) 26
Stalp, M., see Von Hörsten, S. (806) 282

Takenaka, T., see Kusakabe, T. (806) 165
Taniguchi, I., see Ichiki, H. (806) 278

Uematsu, T., see Hara, A. (806) 274

Vanacek, J., see Watanabe, K. (806) 126
Vecsernyés, M., see DeMaria, J.E. (806) 89
Von Hörsten, S., Exton, N.G., Exton, M.S., Helfritz, F., Nave, H., Ballof, J., Stalp, M. and Pabst, R.
Brain NPY Y_1 receptors rapidly mediate the behavioral response to novelty and a compartment-specific modulation of granulocyte function in blood and spleen (806) 282
Vorhees, C.V., see Fukumura, M. (806) 1

Wang, M., see Ruan, D.-Y. (806) 196
Wang, S.L., see Chen, Y.C. (806) 238
Warren, R.J. and Durand, D.M.
Effects of applied currents on spontaneous epileptiform activity induced by low calcium in the rat hippocampus (806) 186
Watanabe, K., Yamaoka, S. and Vanacek, J.
Corrigendum to 'Melatonin inhibits spontaneous and VIP-induced vasopressin release from suprachiasmatic neurons' [Brain Res. 801 (1998) 216–219] (806) 126
Welch, C.C., see Kim, E.-M. (806) 117
Westrum, L.E., see Dumba, J.S. (806) 16
Wiesenfeld-Hallin, Z., see Hoffmann, O. (806) 232
Winblad, B., see Islam, A. (806) 108

Xu, Y.-Z., see Ruan, D.-Y. (806) 196

Yabuuchi, M., see Fujiwara, K. (806) 210
Yamamoto, M., see Kondo, I. (806) 271
Yamaoka, S., see Watanabe, K. (806) 126
Yanase, H., see Kuramoto, N. (806) 152
Yano, H., see Hara, A. (806) 274
Yasukura, T., see Irie, T. (806) 246
Yeghiazaryan, K., see Labudova, O. (806) 55
Yoneda, Y., see Kuramoto, N. (806) 152
Yoshimi, N., see Hara, A. (806) 274

Zawada, W.M., see Clarkson, E.D. (806) 60
Zelena, D., see DeMaria, J.E. (806) 89
Zhang, L., see Kuramoto, N. (806) 152
Zhao, C., see Ruan, D.-Y. (806) 196
Zhao, W.-F., see Ruan, D.-Y. (806) 196
Zhu, Y., see Delfs, J.M. (806) 127
Żylewska, A., see Gołembiowska, K. (806) 202